75 Highland Dr.
Putnam, CT 06260

T: 800-420-4673
F: 800-772-0255
kochek.com

Sprinkler Head Hose Adapter

PATENT PENDING

- Hose Rotates 360°.
- No Hose KINKING.
- Flexible hose prevents tension.
- Unrestricted Water Flow.

4 sizes available

- As part of Kochek's *Water Movement* line, convert a sprinkler head from any manufacturer into an instant hose adapter or quick coupler. The PVC braided hose rotates 360˚ supporting movement in any direction. The hoses are made of stainless steel reinforced clear poly braid.
- Designed to be used with Kochek *Water Movement* products for hand watering localized dry spots, equipment washing, or any hose application where only a sprinkler head exists. This adapts the sprinkler head to create the hose connection you need.
- Sold as a kit with Kochek's powder coated aluminum, and 1" "Full Time Swivel" connection or with just the adapter and nipple alone. Available in 4 sizes.

75 Highland Dr.
Putnam, CT 06260

T: 800-420-4673
F: 800-772-0255
kochek.com

Model KRS - Kochek Rolling Sprinkler

- The NEW, **"Kochek Rolling Sprinkler, Model KRS"** is a rolling sprinkler with 1" NPSH connection that works with our **Dura Flow, Ultralite, Clear GH or Standard GH Series** hose, and adaptable to any impact sprinkler head with a 1" or 3/4" NPT. Additional adapters are included for ¾", GHT hose.

- The KRS is designed to provide and easier and faster way to take care of dry spots, top dressed areas or just maintain your quality turf in areas lacking underground sprinklers.

- Its durable construction includes a 22" wide roller base and arm made from our lightweight 6061-T6 aluminum. The arm is powder coated in our Black Wrinkle finish equipped with a 1" NPSH swivel connector for the hose attachment helping to eliminate hose kinking. Sprinkler Head not included. List price is $ 110.00.

75 Highland Dr.
Putnam, CT 06260

T: 800-420-4673
F: 800-772-0255
kochek.com

Quick Coupler Key Hose Adapter

- Hose Rotates 360°.
- No Hose KINKING.
- Flexible hose connection prevents tension on the sprinkler head or quick coupling key.
- Unrestricted Water Flow.
- Universal Threaded Connection.



Yesterday's Design

- Pulling the hose creates tension on the fitting's rigid elbow creating undo stress on the sprinkler body or quick coupling key, compromising the integrity and affecting performance.
- 90° Elbow Restricts Water Flow

PATENT PENDING

- Kochek Company introduces a **NEW** innovative design for the irrigation market with our **"Quick Coupler Key Hose Adapter"**. Made of Stainless Steel Reinforced Clear Poly-Braid 1" hose and powder coated aluminum "Full-Flow" couplings with a full-time swivel, this new product replaces the need for the traditional rigid elbow connections currently being used.

- Kochek's innovative design delivers full flow capability and its threaded connection attaches to and can be adapted to any quick coupler or sprinkler. Current designs with a 90˚ elbow restricts water flow due to the directional change and reduced inside diameter of the brass casting. Our 1" hose flexes without kinking to provide full water flow at all times. The full time swivel provides 360˚ of hose movement. The hose and hose ends are rated for 200 PSI.

75 Highland Dr.
Putnam, CT 06260

T: 800-420-4673
F: 800-772-0255
kochek.com

Quick Coupling Key with Relief Valve

Part # IRSQCK-10055K Patent Pending

- **"NEWLY"** designed ***Exclusively*** from Kochek our new fire handle QC Key with relief valve. Designed to fit the most popular manufacturers valves with the ergonomic handle assuring proper installation and performance while enabling the user to relieve water pressure and remove key without worrying about backpressure. Longer handle design for hard to reach valves made of T6 powder coated and "lead free" aluminum, making Kochek's QC Key lighter and safer to use.